

10W-40 SN/CF

It is semi synthetic motor oil meeting the latest technical standards developed for high performance motors and produced with the combination of cutting-edge-technology synthetic base oils with high performance additive. It is safely used during all four seasons in diesel and gasoline motors, construction vehicles, buses, pickups, minibuses and panel vans with turbo- and super-charged motors and travelling locally, intercity and internationally **Properties**

- Has high oxidation resistance. Prevents occurrence of rust and corrosion and provides maximum protection against motor wearing.
- Provides easier operation in lower temperatures with its outstanding viscosity and high viscosity indexes and prevents motor wearing at first starting moment.
- Reduces fuel consumption with its easy pumping and friction minimizing characteristics.
- Provides high performance with its Low Sulphated Ash, Phosphorus and Sulphur (Low SAPS) content in low amounts if used with Euro Diesel in Euro III, IV or V motors with Exhaust Gas Recycling (EGR) system or Selective Catalytic Reduction (SCR) system.

Meets requirements:

•	API SN/CF

- ACEA E7-08
- MB Approval 228.5

- VW 501 01VW 505 00
- AVTOVAZ (LADA cars)
- MB-Approval 229.1

TEST	METHOD	TYPICAL PROPERTIES
Density, g/cm3, at 15°C	ASTM D 4052	Min. 0,866
Kinematic Viscosity, cSt, at 100°C	ASTM D 445	13.8
Kinematic Viscosity, cSt, at 40°C	ASTM D 445	88.4
Viscosity Index	ASTM D 2270	160
Flash Point, °C, min	ASTM D 92	228
Pour Point, °C, max	ASTM D 97	-38
Ash, Sulfated % Mass	ASTM D 874	1.49



MOTOR OIL 10W-40 SN/CF

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 21/07/2021 Revision

Revision date: 01/02/2024

Supersedes: 18/09/2023

Version: 5.1

SECTION 1: Identification of the substand	ce/mixture and of the comp	any/undertaking	9
1.1. Product identifier			-
Product form : Mi	xture		
Product name. : Mo	OTOR OIL 10W-40 SN/CF		
Product code : 29	187		
Product group : Bl	end		
.2. Relevant identified uses of the substance	or mixture and uses advised agai	nst	
.2.1. Relevant identified uses			
Aain use category : Ind	dustrial use,Professional use,Consu	mer use	
	on-dispersive use sed in closed systems		
Function or use category : Lu	bricants and additives		
.2.2. Uses advised against			
lo additional information available			
.3. Details of the supplier of the safety datas	heet		
ACO PETROL KIMYA SANAYI DIS TIC. LTD. STI. Siteler Mah. 492 Sokak			
lo:1/A/14 Aliağa/İzmir ⁻ +90 552 222 67 66 / +90 552 222 67 68 n <u>fo@cosmomotoroil.com</u>			
.4. Emergency telephone number			
mergency number : +9	05522226766		
ECTION 2: Hazards identification			
.1. Classification of the substance or mixture			
Classification according to Regulation (EC) No. 127	/2/2008 [CLP]		
Not classified			
Classification according to Directive 67/548/EEC or Not classified	1999/45/EC		
Adverse physicochemical, human health and envir No additional information available	onmental effects		
.2. Label elements			
abelling according to Regulation (EC) No. 1272/20	08 [CLP]		
	JH210 - Safety data sheet available	on request	
.3. Other hazards			
No additional information available			
SECTION 3: Composition/information on	ingredients		
8.1. Substances			
Not applicable			
3.2. Mixture			
	Product identifier	%	Classification cocording to
Name	Product identifier	70	Classification according to Directive 67/548/EEC
Lubricating oils (petroleum), C20-100% 50, hydrotreated neutral oil-based; baseoil - unspecified	(CAS No) 72623-87-1 (EC no) 276-38-4	1 - 15	Not classified
Distillates(petroleum), solvent-dewaxed	(CAS No) 64742-65-0	1 - 2,5	Not classified
Personal unerposition	(EC no) 265-169-7	90.95	Not alposified

(CAS No) 64742-55-8 (EC no) 265-158-7 (EC index no) 649-468-00-3

Baseoil - unspecified

80 - 85

Not classified



Name	Product identifier	%	Classification according to Directive 67/548/EEC
Phosphorodithioic acid, mixed O,O-bis (iso-Bu and pentyl) esters, zinc salts	(EC no) 270-608-0	0,1 - 1	Xi; R41 Xi; R38 N; R51/53
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec- butyl)]bis(dithiophosphate)	(EC no) 298-577-9 (REACH-no) 01-2119543726-33	0,1 - 1	Xi; R41 Xi; R38 N; R51/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-100% 50, hydrotreated neutral oil-based; baseoil - unspecified	(CAS No) 72623-87-1 (EC no) 276-38-4	1 - 15	Asp. Tox. 1, H304
Distillates(petroleum), solvent-dewaxed	(CAS No) 64742-65-0 (EC no) 265-169-7	1 - 2,5	Asp. Tox. 1, H304
Baseoil - unspecified	(CAS No) 64742-55-8 (EC no) 265-158-7 (EC index no) 649-468-00-3	80 - 85	Asp. Tox. 1, H304
Phosphorodithioic acid, mixed O,O-bis (iso-Bu and pentyl) esters, zinc salts	(EC no) 270-608-0	0,1 - 1	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 2, H411
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec- butyl)]bis(dithiophosphate)	(EC no) 298-577-9 (REACH-no) 01-2119543726-33	0,1 - 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Not expected to require first aid measures.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/injuries after eye contact	 Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medic	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear suitable protective clothing and gloves.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing and gloves.



6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up	
For containment : Impound and recover large spill by mixing it with inert granular solids.		: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up		: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information		: Spill area may be slippery. Use suitable disposal containers.
6.4.	Reference to other sections	
No additional information available		

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.	
Handling temperature	: <40 °C	
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.	
7.2. Conditions for safe storage, includi	ng any incompatibilities	
Storage temperature	: <40 °C	
Storage area	: Store in dry, cool, well-ventilated area.	
7.3. Specific end use(s)		
No additional information available		

SEC	SECTION 8: Exposure controls/personal protection		
8.1.	Control parameters		
		5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).	
8.2.	Exposure controls		
Perso	nal protective equipment	: Safety glasses. Gloves.	

Hand protection	: Wear suitable gloves resistant to chemical penetration.
Skin and body protection	: No special clothing/skin protection equipment is recommended under normal conditions of use.
Respiratory protection	 No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

9.1. Information on basic physical and	l chemical properties
Physical state	: Liquid
Appearance	: Oily liquid.
Colour	: Yellow-brown.
Odour	: Characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 220 °C @ ASTM D92
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available



Density	: 876 kg/m³ @15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	No data available
Viscosity, kinematic	: 100 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
None under normal conditions.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
None under normal conditions.	
10.4. Conditions to avoid	
No data available.	
10.5. Incompatible materials	
Strong oxidizers. acids. Bases.	
10.6. Hazardous decomposition products	
None under normal conditions.	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Phosphorodithioic acid, mixed O,O-bis (iso- LD50 oral rat	
LD50 dermal rat	3600 mg/kg 20000 mg/kg
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-buty	
LD50 oral rat	2600 mg/kg
LD50 dermal rat	> 3160 mg/kg OECD 402
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
taiget eigen tenton, (repeated	



Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	
Phosphorodithioic acid, mixed O,O-bis (iso-B	u and pentyl) esters, zinc salts
LC50 fishes 1	4,5 ml/l OECD 203, (Cyprinodon variegatus, 96h)
EC50 Daphnia 1	23 mg/l OECD 202, (Daphnia magna, 72h)
EC50 other aquatic organisms 1	21 ml/l
	ithiophosphate)
	ıg/l OECD 203 (Oncorhynchys mykiss) 96h
EC50 Daphnia 1	5,4 mg/l OECD 202 (Daphnia magna) 48h
EC50 other aquatic organisms 1	2,1 mg/l OECD 201 (Selenastrum capricornutum) 48h
12.2. Persistence and degradability	
MOTOR OIL 10W-40 SN/CF	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.
Phosphorodithioic acid, mixed O,O-bis (iso-B	
Biodegradation	1,5 % OECD 301B
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl	
Biodegradation	1,5 % OECD 301B 28d
12.3. Bioaccumulative potential	
Phosphorodithioic acid, mixed O,O-bis (iso-B	u and pentyl) esters, zinc salts
Log Pow	0,69
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)
Log Pow	0,9 @23°C
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
In accordance with ADR / RID / ADNR / IMDG / IC	AO / IATA
14.1. UN number	
No dangerous good in sense of transport regulatio	ns
14.2. UN proper shipping name	
Not applicable	
14.3. Transport hazard class(es)	
Not applicable	
14.4. Packing group	
Not applicable	
14.5. Environmental hazards	
	: No supplementary information available.
14.6. Special precautions for user	
14.6.1. Overland transport	
No additional information available	
14.6.2. Transport by sea	
No additional information available	



14.6.3. Air transport

No additional information available

14.6.4. Inland waterway transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance ormixture

15.1.1. EU-Regulations

Contains no REACH candidate

substance

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other informa	ation
Other information	: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.
Full text of R-, H- and EUH-phrases:	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1

Eye Dam. I	Serious eye damage/eye initiation Category i
Skin Irrit. 2	skin corrosion/irritation Category 2
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
R38	Irritating to skin
R41	Risk of serious damage to eyes
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Ν	Dangerous for the environment
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.