

#### **PRODUCT DATA SHEET**

# 20W-50 CF-4/SL

Multi-degree four-season motor oil refined in a modern manner and manufactured with high technology by adding package additives selected with care to high quality paraffinic base oils. Used in diesel-driven engines with turbocharger and catalytic converter and passenger type cars, pickups and minibus type vehicles with gasoline engines.

# **Properties**

- Provides superior protection in all seasons thanks to its high viscosity index.
- Keeps the engine clean with the detergent-dispersant feature of the package additives it is formulated with.
- Decreases oil consumption to a minimum under all kinds of weather and road conditions without foam forming or decrease in fixed oil pressure.
- Decreases maintenance costs and decreases oil consumption to a minimum in old type engines. Provides economy with extended motor oil replacement.

# **Meets requirements:**

- API CF-4/SL
- ACEA A3/B3

- VW 505 00
- MB-Approval 229.1

TEST	METHOD	TYPICAL PROPERTIES
Density, g/cm3, at 15°C	ASTM D 4052	0,888
Kinematic Viscosity, cSt, at 100°C	ASTM D 445	19.5
Kinematic Viscosity, cSt, at 40°C	ASTM D 445	155
Viscosity Index	ASTM D 2270	128
Flash Point, °C, min	ASTM D 92	240
Pour Point, °C, max	ASTM D 97	-21
Sulphated Ash, % mass	ASTM D874	0,85
Total Base Number, mg KOH/g	ASTM D2896	8,6



# 20W50 CF-4 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 21/12/2023 Revision date: 19/11/2024 Supersedes version of: 06/01/2024 Version: 7.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Product name : 20W50 CF-4
Product code : 11247
Type of product : CMO
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Non-dispersive use

Used in closed systems
: Lubricants and additives

#### 1.2.2. Uses advised against

Function or use category

No additional information available

# 1.3. Details of the supplier of the safety data sheet

# FACO PETROL KİMYA SANAYİ DIŞ TİCARET LTD. ŞTİ.

Center Office: Siteler Mh. 492 Sk. No: 1/A My Vista Smart Aliağa/İZMİR/TÜRKİYE

info@cosmomotoroil.com / www.cosmomotoroil.com

Phone: +90 552 222 6766

# 1.4. Emergency telephone number

Emergency number : +90 552 222 6766

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

# Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Calcium long chain alkyl aryl sulphonate, Alkyl (C18-C28)

 $to lue ne sulfonic\ acid,\ calcium\ salts,\ borated.\ May\ produce\ an\ allergic\ reaction.$ 

EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %





# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium long chain alkyl aryl sulphonate	CAS-No.: 722503-68-6 EC-No.: 682-816-2	0.1 – 0.99	Skin Sens. 1B, H317
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC-No.: 953-650-0	0.1 – 0.99	Skin Sens. 1B, H317 Repr. 2, H361d

pecific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Calcium long chain alkyl aryl sulphonate	CAS-No.: 722503-68-6 EC-No.: 682-816-2	(2 ≤ C < 100) Skin Sens. 1B, H317
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC-No.: 953-650-0	(17.15 ≤ C < 100) Repr. 2, H361d

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures. First-aid measures after skin contact : Wash skin with mild soap and water.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use.

# 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

: Water fog. Foam. Powder. Dry chemical product. Suitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.





### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

#### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are

usually required.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : ≤ 40 °C

Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

# 8.1.2. Recommended monitoring procedures

No additional information available





#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

No additional information available

### 8.2.2.2. Skin protection

# Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

# Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

### 8.2.2.3. Respiratory protection

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

No additional information available

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

: Liquid Physical state Colour : brown. Appearance Oily liquid. Characteristic. Odour Odour threshold : Not available Melting point : Not available Freezing point : Not available **Boiling point** : Not available Flammability : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 235 °C (ASTM D92)





Auto-ignition temperature : Not available

Decomposition temperature : Not available

pH : Not available

Viscosity, kinematic : 170 mm²/s @40°C

Solubility : Slightly soluble, the product remains on the water surface.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 886 kg/m³ @15°C
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

None under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

None under normal conditions.

# 10.4. Conditions to avoid

No data available.

# 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

# 10.6. Hazardous decomposition products

None under normal conditions.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

: Not classified Acute toxicity (oral) Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified : Not classified Aspiration hazard





20W50 CF-4

Viscosity, kinematic 170 mm²/s @40°C

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

# Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated

EC50 - Other aquatic organisms [1] 1.2 mg/l

# 12.2. Persistence and degradability

# **CHAMPION ACTIVE DEFENCE 20W50 CF-4**

Persistence and degradability Not soluble in water, so only minimally biodegradable.

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

Not regulated for transport

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable Proper Shipping Name (IMDG) : Not applicable





Proper Shipping Name (IATA) : Not applicable Proper Shipping Name (ADN) : Not applicable Proper Shipping Name (RID) : Not applicable

# 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

**ADN** 

Transport hazard class(es) (ADN) : Not applicable

**RID** 

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available

# 14.6. Special precautions for user

**Overland transport** 

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

**REACH Annex XVII (Restriction List)** 

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

**REACH Annex XIV (Authorisation List)** 

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)





#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	SDS EU format	Modified	
	Supersedes	Modified	
	Revision date	Modified	
3	Composition/information on ingredients	Modified	
9.1	Flash point	Modified	
9.1	Density	Modified	
9.1	Viscosity, kinematic	Modified	

eviations and acronyms:		
ACGIH: American Conference of Governmental Industrial Hygienists	ACGIH: American Conference of Governmental Industrial Hygien	
TWA: Time Weighted Average	TWA: Time Weighted Average	
TLV: Threshold Limit Value	TLV: Threshold Limit Value	
ASTM: American Society for Testing and Materials	ASTM: American Society for Testing and Materials	



Abbreviations and acronyms:		
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route	
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail	
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin	
	IMDG: International Maritime Dangerous Goods	
	ICAO: International Civil Aviation Organization	
	IATA: International Air Transport Association	
	STEL: Short Term Exposure Limit	
	LD50: median Lethal Dose for 50% of subjects	
	ATE: acute toxicity estimate	
	LC50: median Lethal Concentration for 50% of subjects	
	EC50: concentration producing 50% effect	

#### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
EUH208	Contains Calcium long chain alkyl aryl sulphonate, Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

