

# **COMPRESSOR OILS SERIES CF-0400**

Lubricants for air compressors

# **Product Description**

The CF-0400 Series products are a family of premium performance ashless air compressor lubricants designed to meet the stringent requirements of the largest compressor manufacturers.

They are formulated with high quality mineral base oils and a highly effective additive system to provide exceptional equipment protection and reliability for compressors operating in normal to severe conditions. The CF-0400 Series provides superior wear protection and lowers operating costs by minimizing equipment problems and the formation of deposits and carryover into downstream systems.

CF-0400 are excellent lubricants for compressor systems using gears and bearings, making them indispensable for use as crankcase and cylinder oils.

## **Features and Benefits**

The use of CF-0400 Series oils can result in cleaner compressors and lower deposits than conventional mineral oils, resulting in longer TBOs.

Their superior thermal-oxidative stability reliably extends lubricant life while preventing sludge and deposit formation.

They have excellent anti-wear and anti-corrosion properties, thereby increasing the service life of the equipment and its performance characteristics.

# Specifications and approvals

DIN 51506:1985-09 VDL

CF-0400	424	425	426	427	428	429
ISO viscosity grade	32	46	50	68	100	150
Kinematic Viscosity, ASTM D 445	-	-	-	-	-	-
Kinematic Viscosity, at 40 °C	32	46	50	68	104,6	147,3
Kinematic Viscosity, cSt, at 100°C	5,4	6,9	7,5	8,9	11,6	14,7
Viscosity Index	105	105	105	105	100	100
Ash, Sulfated, mass%,	<0,01	<0,01	<0,01	<0,01	<0,01	<0,01
Corrosion on Copper Strip, ASTM D130, 3 hours at 100 C	1B	1B	1A	1A	1B	1A
FZG test DIN 51354, failure stage	12	11	11	12	11	11
Rust protection; ASTM D665 B; ASTM D665A	Withstand	Withstand	Withstand	Withstand	Withstand	Withstand
Foaming, Stage I, ASTM D 892	10/0	20/0	30/0	0/0	30/0	430/20
Flash Point, °C, min	236	238	242	251	264	269
Density at 15°C, ASTM D 1298	0,866	0,873	0,875	0,877	0,879	0,866



# **COMPRESSOR OIL ISO 32 Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 21/12/2023 Revision date: 19/11/2024 Supersedes version of: 06/01/2024 Version: 5.5

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : COMPRESSOR OIL ISO 32

Product code : 4206
Type of product : CMO
Product group : Blend

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Non-dispersive use

Used in closed systems : Lubricants and additives

Function or use category :

### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

## FACO PETROL KİMYA SANAYİ DIŞ TİCARET LTD. ŞTİ.

Center Office: Siteler Mh. 492 Sk. No: 1/A My Vista Smart Aliağa/İZMİR/TÜRKİYE

info@cosmomotoroil.com / www.cosmomotoroil.com

Phone: +90 552 222 6766

## 1.4. Emergency telephone number

Emergency number : +90 552 222 6766

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3



Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

P102 - Keep out of reach of children.

EUH-statements : EUH208 - Contains Aryl amine. May produce an allergic reaction.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-C13, aromatics, >1% naphthalene	EC-No.: 926-273-4 REACH-no: 01-2119451151- 53	0.1 – 0.99	Carc. 2, H351 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
2,6-Di-tert-butylphenol	CAS-No.: 128-39-2 EC-No.: 204-884-0 REACH-no: 01-2119490822- 33	0.1 – 0.35	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Aryl amine	CAS-No.: 90-30-2 EC-No.: 201-983-0	0.1 – 0.15	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
naphthalene  Full tout of LL and FULL statements, and accident 16	CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2	0.1 – 0.15	Carc. 2, H351 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16





## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures. First-aid measures after skin contact : Wash skin with mild soap and water.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of

normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

### 6.4. Reference to other sections

No additional information available





## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are

usually required.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : ≤ 40 °C

Storage area : Store in dry, cool, well-ventilated area.

**Germany** 

Storage class (LGK, TRGS 510) : LGK 10-13 - Other combustible and non-combustible substances

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Aryl amine (90-30-2)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	2 mg/m³ E (Inhalable fraction)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	3 mg/m³ E (Inhalable fraction)	
KZGW (OEL STEL)	6 mg/m³ E (Inhalable fraction)	
naphthalene (91-20-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	50 mg/m³	
	10 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m³	
	10 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	53 mg/m³	
	10 ppm	
OEL STEL	80 mg/m³	
	15 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	50 mg/m³ 8h	
OEL STEL	75 mg/m³ 15 min.	



Denmark - Occupational Exposure Limits           Elemant - Occupational Exposure Limits         50 mg/m²           Elemant - Occupational Exposure Limits           Elemant - Occupational Exposure Limits           France - Occupational Exposure Limits           France - Occupational Exposure Limits           France - Occupational Exposure Limits           France - Occupational Exposure Limits (TRGS="2")           France - Occupational Exposure Limits           F	naphthalene (91-20-3)		
DEL STEL         10 ppm           OEL STEL         100 mg/m²           DE STEL         20 ppm           Estonia - Occupational Exposure Limits           Formation - Occupational Exposure Limits           HTP (OEL TWA)         5 mg/m²           1 ppm         1 ppm           France - Occupational Exposure Limits           VME (OEL TWA)         50 mg/m²           10 ppm         10 ppm           Germany - Occupational Exposure Limits (TRGS95")           V (OCL TWA)         2 mg/m²           Quay (OCL TWA)         2 mg/m²           V (OCL TWA)         80 mg/m²           V (OCL TWA)         80 mg/m²           V (OCL TWA)         80 mg/m²           V (OCL TWA)         80 mg/m²           V (OCL TWA)         80 mg/m²           V (OCL TWA)         80 mg/m²           V (OCL TWA)         90 mg/m²           V (OCL TWA)         90 mg/m²           V (OCL TWA)         90 mg/m²           V (OCL TWA)         90 mg/m²           V (OCL TWA)         90 mg/m²           V (OCL TWA)	Denmark - Occupational Exposure Limits	enmark - Occupational Exposure Limits	
OEL STEL         100 mg/m²           Estonia - Occupational Exposure Limits           OEL TWA         50 mg/m²           Finland - Occupational Exposure Limits         Finland - Occupational Exposure Limits           HTP (OEL TWA)         5 mg/m²           1 ppm         1 ppm           HTP (OEL STEL)         10 mg/m²           7 ppm         1 ppm           France - Occupational Exposure Limits           W (OEL TWA)           2 pm/m²         10 ppm           Germany - Occupational Exposure Limits (TRGS 90%)           A (GEL TWA)           4 pm/m²         0 4 ppm           Hungary - Occupational Exposure Limits           A (GEL TWA)         50 mg/m²           Italy - Occupational Exposure Limits           To ppm           B of mg/m²           10 ppm         10 ppm           Litvia - Occupational Exposure Limits           DEL TWA         50 mg/m²           10 ppm           Latvia - Occupational Exposure Limits           Netherlands - Occupational Exposure Limits           Netherlands - Occupational Exposure Limits           Netherlan	OEL TWA	50 mg/m³	
Estonia - Occupational Exposure Limits           OEL TWA         \$0 mg/m²           Finland - Occupational Exposure Limits         \$ mg/m²           HTP (OEL TWA)         \$ mg/m²           1 ppm         1 ppm           HTP (OEL STEL)         10 mg/m²           2 ppm         2 ppm           France - Occupational Exposure Limits         50 mg/m²           10 ppm         10 ppm           Germany - Occupational Exposure Limits (TRGS > vvv)         2 mg/m²           10 ppm         0.4 ppm           Hungary - Occupational Exposure Limits         50 mg/m²           Treland - Occupational Exposure Limits         50 mg/m²           1 to ppm           taty - Occupational Exposure Limits           CEL TWA         50 mg/m²           1 to ppm           taty - Occupational Exposure Limits           CEL TWA         50 mg/m²           1 to ppm           Latvia - Occupational Exposure Limits           Toge-8u (OEL TWA)         50 mg/m²           1 to ppm           Netherlands - Occupational Exposure Limits           Nos (OEL TWA)         50 mg/m²           Nos		10 ppm	
Stonia - Occupational Exposure Limits	OEL STEL	100 mg/m³	
OEL TWA         60 mg/m³           Finand - Occupational Exposure Limits         5 mg/m³           HTP (OEL STEL)         10 mg/m³           2 ppm         7           France - Occupational Exposure Limits           VME (OEL TWA)         50 mg/m³           10 ppm         10 ppm           Germany - Occupational Exposure Limits (TRGS 9000)           ASW (OEL TWA)         2 mg/m³           A K (OEL TWA)           So mg/m³           International Exposure Limits           OCEL TWA         50 mg/m³           International Exposure Limits           OEL TWA         50 mg/m³           10 ppm           Latvia - Occupational Exposure Limits           OEL TWA         50 mg/m³           10 ppm           Latvia - Occupational Exposure Limits           OEL TWA         50 mg/m³           Netherlands - Occupational Exposure Limits           TGG-8 (OEL TWA)         50 mg/m³           Nos (OEL TWA)         20 mg/m³           Nos (OEL TWA)         20 mg/m³           Nos (OEL TWA)         20		20 ppm	
Finand - Occupational Exposure Limits           HTP (OEL TWA)         5 mg/m²           1 ppm         1 mg/m²           HTP (OEL STEL)         10 mg/m²           France - Occupational Exposure Limits         5 mg/m²           VME (OEL TWA)         50 mg/m²           Germany - Occupational Exposure Limits (TRGS 9000         Agm/m²           AGW (OEL TWA)         2 mg/m²           10 4 ppm         Agm/m²           Hungary - Occupational Exposure Limits         50 mg/m²           K (OEL TWA)         50 mg/m²           Ireland - Occupational Exposure Limits         50 mg/m²           Italy - Occupational Exposure Limits         50 mg/m²           Utaly - Occupational Exposure Limits         50 mg/m²           Utaly - Occupational Exposure Limits         50 mg/m²           Utaly - Occupational Exposure Limits         50 mg/m²           OEL TWA         50 mg/m²           10 ppm         10 ppm           Latvia - Occupational Exposure Limits         50 mg/m²           OEL TWA         50 mg/m²           10 ppm         10 ppm           Note of L TWA         50 mg/m²           Note of L TWA         50 mg/m²           Note of L TWA         50 mg/m²           Note of L TWA<	Estonia - Occupational Exposure Limits		
HTP (OEL TWA) 5 mg/m³ 1 ppm  HTP (OEL STEL) 10 mg/m³ 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 50 mg/m³ 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)	OEL TWA	50 mg/m³	
TipPM	Finland - Occupational Exposure Limits		
HTP (OEL STEL) 10 mg/m³ 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 50 mg/m³ 10 ppm  Germany - Occupational Exposure Limits (TRGS 900 mg/m³ 2 pmg/m³ 2 pmg/m³ 2 pmg/m³ 3 pmg/m³ 3 pmg/m³ 3 pmg/m³ 3 pmg/m³ 3 pmg/m³ 3 pmg/m³ 4 ppm  Hungary - Occupational Exposure Limits  K (OEL TWA) 50 mg/m³ 10 ppm  Italy - Occupational Exposure Limits  OEL TWA 50 mg/m³ 10 ppm  Italy - Occupational Exposure Limits  OEL TWA 50 mg/m³ 10 ppm  Latvia - Occupational Exposure Limits  OEL TWA 50 mg/m³ 10 ppm  Netherlands - Occupational Exposure Limits  OEL TWA 50 mg/m³ 10 ppm  Netherlands - Occupational Exposure Limits  OEL TWA 50 mg/m³ 10 ppm  Netherlands - Occupational Exposure Limits  OEL TWA 50 mg/m³ 10 ppm  Netherlands - Occupational Exposure Limits  Nocupational Exposure Limits  Nocupational Exposure Limits  So mg/m³ 10 ppm  Netherlands - Occupational Exposure Limits  Nocupational Exposure Limits	HTP (OEL TWA)	5 mg/m³	
France - Occupational Exposure Limits  VME (OEL TWA)  50 mg/m³ 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  2 mg/m³ 0.4 ppm  Hungary - Occupational Exposure Limits  AK (OEL TWA)  50 mg/m³ 10 ppm  Hungary - Occupational Exposure Limits  OEL TWA  50 mg/m³ 10 ppm  Italy - Occupational Exposure Limits  OEL TWA  50 mg/m³ 10 ppm  Latvia - Occupational Exposure Limits  OEL TWA  50 mg/m³ 10 ppm  Latvia - Occupational Exposure Limits  OEL TWA  50 mg/m³ 10 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  50 mg/m³ 10 ppm  Netherlands - Occupational Exposure Limits  TGG-15min (OEL STEL)  80 mg/m³  Poland - Occupational Exposure Limits  TGG-15min (OEL STEL)  80 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA)  50 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  50 mg/m³  Spain - Occupational Exposure Limits		1 ppm	
France - Occupational Exposure Limits         50 mg/m²           10 ppm         10 ppm           Germany - Occupational Exposure Limits (TRGS 900)         2 mg/m²           AGW (OEL TWA)         2 mg/m²           0.4 ppm         0.4 ppm           Hungary - Occupational Exposure Limits         50 mg/m²           Ireland - Occupational Exposure Limits         50 mg/m²           0EL TWA         50 mg/m²           10 ppm         10 ppm           Latvia - Occupational Exposure Limits         50 mg/m²           0EL TWA         50 mg/m²           10 ppm         Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         50 mg/m²           10 ppm         Netherlands - Occupational Exposure Limits           TGG-9 (OEL TWA)         50 mg/m²           Poland - Occupational Exposure Limits         NDS (OEL TWA)           NDS (OEL TWA)         20 mg/m²           NDS (OEL STEL)         50 mg/m²           Spain - Occupational Exposure Limits         50 mg/m²	HTP (OEL STEL)	10 mg/m³	
VME (OEL TWA)         50 mg/m³           10 ppm         10 ppm           Germany - Occupational Exposure Limits (TRGS 900)         2 mg/m³           AGW (OEL TWA)         2 mg/m³           0.4 ppm         10.4 ppm           Hungary - Occupational Exposure Limits         50 mg/m³           Iretand - Occupational Exposure Limits         50 mg/m³           OEL TWA         50 mg/m³           10 ppm         10 ppm           Latvia - Occupational Exposure Limits         50 mg/m³           OEL TWA         50 mg/m³           10 ppm         Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         50 mg/m³           TGG-15min (OEL STEL)         80 mg/m³           Poland - Occupational Exposure Limits         50 mg/m³           NDS (OEL TWA)         20 mg/m³           NDSCh (OEL STEL)         50 mg/m³           Spain - Occupational Exposure Limits         50 mg/m³		2 ppm	
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  AGW (OEL TWA)  Plungary - Occupational Exposure Limits  AK (OEL TWA)  So mg/m²  10 ppm  Ireland - Occupational Exposure Limits  OEL TWA  So mg/m²  10 ppm  Italy - Occupational Exposure Limits  OEL TWA  So mg/m²  10 ppm  Italy - Occupational Exposure Limits  OEL TWA  So mg/m²  10 ppm  Latvia - Occupational Exposure Limits  OEL TWA  So mg/m²  10 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  So mg/m²  TGG-15min (OEL STEL)  80 mg/m²  Poland - Occupational Exposure Limits  NDS (OEL TWA)  DO mg/m²  NDSCh (OEL STEL)  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²  So mg/m²	France - Occupational Exposure Limits		
AGW (OEL TWA)   2 mg/m³   0.4 ppm	VME (OEL TWA)	50 mg/m³	
AGW (OEL TWA)       2 mg/m³         0.4 ppm         Hungary - Occupational Exposure Limits         AK (OEL TWA)         50 mg/m³         10 ppm         Italy - Occupational Exposure Limits         OEL TWA       50 mg/m³         10 ppm         Latvia - Occupational Exposure Limits         OEL TWA       50 mg/m³         Netherlands - Occupational Exposure Limits         TGG-8u (OEL TWA)       50 mg/m³         TGG-15min (OEL STEL)       80 mg/m³         Poland - Occupational Exposure Limits         NDSC (OEL TWA)       20 mg/m³         NDSCh (OEL STEL)       50 mg/m³         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA)       50 mg/m³		10 ppm	
Hungary - Occupational Exposure Limits  AK (OEL TWA)  Ireland - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Italy - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Latvia - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Latvia - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Netherlands - Occupational Exposure Limits  TGG-9u (OEL TWA)  50 mg/m³  TGG-15min (OEL STEL)  80 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA)  20 mg/m³  NDSCh (OEL STEL)  50 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  50 mg/m³  50 mg/m³	Germany - Occupational Exposure Limits (TRGS	900)	
Hungary - Occupational Exposure Limits  AK (OEL TWA)  Ireland - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Italy - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Latvia - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Latvia - Occupational Exposure Limits  OEL TWA  50 mg/m³  10 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  TGG-9tsmin (OEL STEL)  80 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA)  20 mg/m³  NDSCh (OEL STEL)  50 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  50 mg/m³	AGW (OEL TWA)	2 mg/m³	
AK (OEL TWA)    Ireland - Occupational Exposure Limits   50 mg/m²   10 ppm     Italy - Occupational Exposure Limits   OEL TWA		0.4 ppm	
	Hungary - Occupational Exposure Limits		
OEL TWA         50 mg/m³ / 10 ppm           Italy - Occupational Exposure Limits           OEL TWA         50 mg/m³ / 10 ppm           Latvia - Occupational Exposure Limits         50 mg/m³ / 10 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         50 mg/m³           TGG-15min (OEL STEL)         80 mg/m³           Poland - Occupational Exposure Limits           NDS (OEL TWA)         20 mg/m³           NDSCh (OEL STEL)         50 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         50 mg/m³	AK (OEL TWA)	50 mg/m³	
10 ppm	Ireland - Occupational Exposure Limits		
Italy - Occupational Exposure Limits	OEL TWA	50 mg/m³	
OEL TWA         50 mg/m³           Latvia - Occupational Exposure Limits         50 mg/m³           OEL TWA         50 mg/m³           Netherlands - Occupational Exposure Limits         10 ppm           Netherlands - Occupational Exposure Limits         50 mg/m³           TGG-8u (OEL TWA)         50 mg/m³           Poland - Occupational Exposure Limits         80 mg/m³           NDS (OEL TWA)         20 mg/m³           NDSCh (OEL STEL)         50 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         50 mg/m³		10 ppm	
10 ppm	Italy - Occupational Exposure Limits		
Latvia - Occupational Exposure Limits         50 mg/m³         10 ppm         Netherlands - Occupational Exposure Limits         TGG-8u (OEL TWA)       50 mg/m³         TGG-15min (OEL STEL)       80 mg/m³         Poland - Occupational Exposure Limits         NDS (OEL TWA)       20 mg/m³         NDSCh (OEL STEL)       50 mg/m³         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA)       50 mg/m³	OEL TWA	50 mg/m³	
OEL TWA         50 mg/m³           10 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         50 mg/m³           TGG-15min (OEL STEL)         80 mg/m³           Poland - Occupational Exposure Limits           NDS (OEL TWA)         20 mg/m³           NDSCh (OEL STEL)         50 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         50 mg/m³		10 ppm	
Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) 50 mg/m³  TGG-15min (OEL STEL) 80 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 20 mg/m³  NDSCh (OEL STEL) 50 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 50 mg/m³	Latvia - Occupational Exposure Limits		
Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) 50 mg/m³  TGG-15min (OEL STEL) 80 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 20 mg/m³  NDSCh (OEL STEL) 50 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 50 mg/m³	OEL TWA	50 mg/m³	
TGG-8u (OEL TWA)         50 mg/m³           TGG-15min (OEL STEL)         80 mg/m³           Poland - Occupational Exposure Limits           NDS (OEL TWA)         20 mg/m³           NDSCh (OEL STEL)         50 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         50 mg/m³		10 ppm	
TGG-15min (OEL STEL)  Poland - Occupational Exposure Limits  NDS (OEL TWA)  NDSCh (OEL STEL)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  80 mg/m³  20 mg/m³  50 mg/m³  50 mg/m³	Netherlands - Occupational Exposure Limits		
Poland - Occupational Exposure Limits  NDS (OEL TWA)  20 mg/m³  NDSCh (OEL STEL)  50 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  50 mg/m³	TGG-8u (OEL TWA)	50 mg/m³	
NDS (OEL TWA)         20 mg/m³           NDSCh (OEL STEL)         50 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         50 mg/m³	TGG-15min (OEL STEL)	80 mg/m³	
NDSCh (OEL STEL) 50 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 50 mg/m³	Poland - Occupational Exposure Limits		
Spain - Occupational Exposure Limits       VLA-ED (OEL TWA)     50 mg/m³	NDS (OEL TWA)	20 mg/m³	
VLA-ED (OEL TWA) 50 mg/m³	NDSCh (OEL STEL)	50 mg/m³	
	Spain - Occupational Exposure Limits		
10 ppm	VLA-ED (OEL TWA)	50 mg/m³	
		10 ppm	



naphthalene (91-20-3)		
VLA-EC (OEL STEL)	80 mg/m³	
	15 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	50 mg/m³	
	10 ppm	
KTV (OEL STEL)	80 mg/m³	
	15 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	50 mg/m³	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	50 mg/m³	
	10 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 mg/m³	
ACGIH OEL STEL	15 fibers/cm³	
Hydrocarbons, C10-C13, aromatics, >1% naphthalene		
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	200 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
OEL STEL	200 mg/m³	

#### 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available





#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves.

## Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

No additional information available

#### 8.2.2.2. Skin protection

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### 8.2.2.3. Respiratory protection

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid : brown. Colour : Oily liquid. Appearance Odour : Characteristic. Odour threshold : Not available Melting point : Not available Freezing point : Not available **Boiling point** : Not available Flammability : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 200 °C (ASTM D92)

Auto-ignition temperature : Not available

Decomposition temperature : Not available

pH : Not available

Viscosity, kinematic : 32 mm²/s @40°C

Solubility : Slightly soluble, the product remains on the water surface.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 872 kg/m³ @15°C
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable





## 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None under normal conditions.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal conditions.

## 10.4. Conditions to avoid

No data available.

## 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

## 10.6. Hazardous decomposition products

None under normal conditions.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Aryl amine (90-30-2)		
LD50 oral rat	1625 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
naphthalene (91-20-3)		
LD50 oral rat	533 mg/kg (OECD 401)	
LD50 dermal rat	> 16000 mg/kg (OECD 402)	
LC50 Inhalation - Rat	500 mg/m³ @8h	
LC50 Inhalation - Rat (Vapours)	> 0.4 mg/l/4h (OECD 403)	
Hydrocarbons, C10-C13, aromatics, >1% naphthalene		
LD50 oral rat	6318 mg/kg (OECD 401)	
LD50 dermal rabbit	> 2000 mg/kg (OECD 402)	
LC50 Inhalation - Rat (Dust/Mist)	> 4778 mg/l/4h (OECD 403)	
LC50 Inhalation - Rat (Vapours)	> 0.00528 mg/l/4h	



2,6-Di-tert-butylphenol (128-39-2)		
LD50 oral rat	> 5000 mg/kg (OECD 401)	
LD50 dermal rabbit	> 10000 mg/kg	
Skin corrosion/irritation :	Not classified	
Aryl amine (90-30-2)		
Skin corrosion/irritation, rabbit	Negative (OECD 404)	
naphthalene (91-20-3)		
Skin corrosion/irritation, rabbit	Negative	
Hydrocarbons, C10-C13, aromatics, >1% naphthalene		
Skin corrosion/irritation, rabbit	Negative	
2,6-Di-tert-butylphenol (128-39-2)		
Skin corrosion/irritation, rabbit	Positive (OECD 404, Not H315 at <35%. On basis of test data.)	
Serious eye damage/irritation :	Not classified	
Aryl amine (90-30-2)		
Serious eye damage/irritation, rabbit	Negative (OECD 405)	
naphthalene (91-20-3)		
Serious eye damage/irritation, rabbit	Negative	
Hydrocarbons, C10-C13, aromatics, >1% naphthalene		
Serious eye damage/irritation, rabbit	Negative (OECD 405)	
2,6-Di-tert-butylphenol (128-39-2)		
Serious eye damage/irritation, rabbit	Negative (OECD 405)	
Respiratory or skin sensitisation :	Not classified	
Aryl amine (90-30-2)		
Skin sensitization, Guinea pig	Positive (OECD 406)	
naphthalene (91-20-3)		
Skin sensitization, Guinea pig	Negative (OECD 406)	
Hydrocarbons, C10-C13, aromatics, >1% naphthalene		
Skin sensitization, Guinea pig	Negative	
2,6-Di-tert-butylphenol (128-39-2)		
Skin sensitization, Guinea pig	Negative (OECD 406)	
Germ cell mutagenicity :	Not classified	
Aryl amine (90-30-2)		
Bacterial Reverse Mutation Test, In vitro, Bacteria	Negative	
Mammalian Chromosomal Aberration Test, In vitro, mammalian	Negative (OECD 473)	





naphthalene (91-20-3)	
Mammalian Chromosomal Aberration Test, In vitro, mammalian	Positive (OECD 473, WOE does not support classification.)
Bacterial Reverse Mutation Test, In vitro, Bacteria	Negative
, In vitro, mammalian	Negative
, In vivo, mammalian	Negative (OECD 486)
Hydrocarbons, C10-C13, aromatics, >1% naphthalene	
Bacterial Reverse Mutation Test, In vitro, Bacteria	Negative
Mammalian Chromosomal Aberration Test, In vitro, mammalian	Negative (OECD 473)
Mammalian Erythrocyte Micronucleus Test, In vivo, mammalian	Negative (OECD 474)
Mammalian Bone Marrow Chromosomal Aberration Test, In vivo, mammalian	Negative (OECD 475)
2,6-Di-tert-butylphenol (128-39-2)	
Bacterial Reverse Mutation Test, In vitro, Bacteria	Negative
Mammalian Chromosomal Aberration Test, In vitro, mammalian	Negative (OECD 473)
3 ,	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure : STOT-repeated exposure :	Not classified Not classified
Aryl amine (90-30-2)	
NOAEL (oral, rat, 28 days)	5 mg/kg bodyweight/day (OECD 407)
NOAEL (subchronic, oral, 90 days)	5 mg/kg bodyweight/day (OECD 408)
STOT-repeated exposure	May cause damage to organs (circulatory system, kidneys) through prolonged or repeated exposure.
naphthalene (91-20-3)	
LOAEC (inhalation, rat, vapour, 90 days)	0.011 mg/l (OECD 413)
NOAEL (subchronic, oral, 90 days)	200 mg/kg bodyweight/day (OECD 408)
NOAEL (subchronic, dermal, 90 days)	1000 mg/kg bodyweight/day (OECD 411)
Hydrocarbons, C10-C13, aromatics, >1% naphthalene	
NOAEL (subchronic, oral, 90 days)	300 mg/kg bodyweight/day (OECD 408)
2,6-Di-tert-butylphenol (128-39-2)	
NOAEL (subacute, oral, 28 days)	100 mg/kg bodyweight/day (OECD 407)
NOAEL (subchronic, oral, 90 days)	270 mg/kg bodyweight/day (OECD 408)
Aspiration hazard :	Not classified
COMPRESSOR OIL ISO 32	
Viscosity, kinematic	32 mm²/s @40°C





## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term

azardous to the aquatic environment, short–term

Hazardous to the aquatic environment, long-term (chronic)

: Not classified

: Harmful to aquatic life with long lasting effects.

`	,		

Aryl amine (90-30-2)	
LC50 - Fish [1]	0.44 mg/l @96h; Oncorhynchus mykiss
EC50 - Other aquatic organisms [1]	0.3 mg/l @48h; Daphnia magna
EC50 96h - Algae [1]	0.93 mg/l Pseudokirchneriella subcapitata
NOEC (chronic)	0.032 mg/l Daphnia magna
NOEC chronic crustacea	0.032 mg/l Daphnia magna
naphthalene (91-20-3)	
LC50 - Fish [1]	1.6 mg/l @96h; Oncorhynchus mykiss
EC50 - Crustacea [1]	2.16 mg/l @48h; Daphnia magna
EC50 96h - Algae [1]	2.96 mg/l Pseudokirchneriella subcapitata
NOEC (chronic)	0.59 mg/l @125d - Daphnia duplex
NOEC chronic fish	0.12 mg/l @40d; Oncorhynchus gorbuscha

# Hydrocarbons, C10-C13, aromatics, >1%

## naphthalene

LC50 - Fish [1]	2 – 5 mg/l @96h; Oncorhynchus mykiss	
EC50 - Crustacea [1]	acea [1] 1.4 mg/l @48h; Daphnia magna	
EC50 72h - Algae [1]	> 1 mg/l Pseudokirchneriella subcapitata	
NOEC (chronic)	0.48 mg/l @21d - Daphnia magna	
NOEC chronic algae	1 mg/l Pseudokirchneriella subcapitata	

## 2.6-Di-tert-butylphenol (128-39-2)

2,6-DI-tert-butylphenoi (128-39-2)	
LC50 - Fish [1]	1.4 mg/l @4d; Pimephales promelas
LC50 - Fish [2]	13 mg/l @4d; Oncorhynchus mykiss
EC50 - Crustacea [1]	0.45 mg/l @2d; Daphnia magna
EC50 - Crustacea [2]	0.8 mg/l @2d; Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l @0,1d; derelinquere caeno
EC50 96h - Algae [1]	1.2 mg/l @3d; Selenastrum capricornutum
NOEC (chronic)	0.035 mg/l @21d - Daphnia magna
NOEC chronic crustacea	0.035 mg/l @21d; Daphnia magna
NOEC chronic algae	0.64 mg/l @96h; Pseudokirchneriella subcapitata





## 12.2. Persistence and degradability

COMPRESSOR OIL ISO 32		
Persistence and degradability	Not soluble in water, so only minimally biodegradable.	
Aryl amine (90-30-2)		
Persistence and degradability	Rapidly degradable	
Biodegradation	0 % @28d (OECD 301C)	
naphthalene (91-20-3)		
Persistence and degradability	Inherently biodegradable.	
Biodegradation	0 – 2 % @28d (OECD 302C)	
Hydrocarbons, C10-C13, aromatics, >1% naphthalene		
Persistence and degradability	Not rapidly degradable	
Biodegradation	58.6 % @28d (OECD 301F)	
2,6-Di-tert-butylphenol (128-39-2)		
Persistence and degradability	Rapidly degradable	
Biodegradation	5 % @28d (OECD TG 301 B)	

## 12.3. Bioaccumulative potential

Aryl amine (90-30-2)		
Bioconcentration factor (BCF REACH)	1424	
Partition coefficient n-octanol/water (Log Pow)	4.28	
naphthalene (91-20-3)		
Partition coefficient n-octanol/water (Log Pow)	3.4	
Hydrocarbons, C10-C13, aromatics, >1% naphthalene		
Bioconcentration factor (BCF REACH)	99 - 5780	
Partition coefficient n-octanol/water (Log Pow)	ition coefficient n-octanol/water (Log Pow) 2.8 – 6.5	
2,6-Di-tert-butylphenol (128-39-2)		
Partition coefficient n-octanol/water (Log Kow)	4.5 Measurements	

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available





## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

Not regulated for transport

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

## 14.5. Environmental hazards

Other information : No supplementary information available

## 14.6. Special precautions for user

### **Overland transport**

No data available

### Transport by sea

No data available

#### Air transport

No data available

## **Inland waterway transport**

No data available





#### Rail transport

No data available

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.1.2. National regulations

### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

**♦** Cosmo



## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## **SECTION 16: Other information**

Indication of changes				
Section	Changed item	Change	Comments	
	Revision date	Modified		
	Supersedes	Modified		
3	Composition/information on ingredients	Modified		
9.1	Flash point	Modified		
9.1	Viscosity, kinematic	Modified		

Abbreviations and acronyms:	
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1



Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
EUH208	Contains Aryl amine. May produce an allergic reaction.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

