

PRODUCT DATA SHEET HD 30

It is high quality diesel and gasoline engine oil, formulated from high quality base oils and specially selected detergent and dispersant additives. Monograde motor oils recommended for diesel and gasoline engines working under normal service conditions.

Properties

- Sludge formation, rust, corrosion and wear prevention
- Excellent engine protection
- High oxidation resistance
- Reduces maintenance costs and minimizes oil consumption in old type of motors.

Approvals and Specifications

- API CF/SF
- Allison C3
- Caterpillar TO-2

- MIL-L-2104 D/E
- IQS 1197

| TEST | METHOD | TYPICAL PROPERTIES |
|------------------------------------|-------------|--------------------|
| Density, g/cm3, at 15°C | ASTM D 4052 | 0,890 |
| Kinematic Viscosity, cSt, at 100°C | ASTM D 445 | 11.3 |
| Kinematic Viscosity, cSt, at 40°C | ASTM D 445 | 103 |
| Viscosity Index | ASTM D 2270 | 100 |
| Flash Point, °C, min | ASTM D 92 | 235 |
| Pour Point, °C, max | ASTM D 97 | -21 |



HD 30 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/28/2010 Revision date: 11/17/2022 Version: 5.0

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | |
|---|--|
| 1.1. Product identifier | |
| Chemical type | : Mixture |
| Trade name | : HD 30 |
| Product code | : CMO |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| 1.2.1. Relevant identified uses | |
| Main use category Industrial/Professional use spec | Industrial use, Consumer use, Professional use Manufacture of substance Formulation & (re)packing of substances and mixtures Use as an intermediate Distribution of substance Uses in Coatings Use in Cleaning Agents Use in Oil and Gas field drilling and production operations Metal working fluids / rolling oils Use as binders and release agents Rubber production and processing Polymer processing Use as a fuel Lubricants Use in laboratories Use in mining operations Water treatment chemicals Functional Fluids Road and construction applications Explosives manufacture & use |
| 1.2.2. Uses advised against | |
| | |

No additional information available

1.3. Details of the supplier of the safety data sheet

FACO PETROL KİMYA SANAYİ DIŞ TİCARET LTD. ŞTİ.

Center Office: Siteler Mh. 492 Sk. No: 1/A My Vista Smart Aliağa/İZMİR/TÜRKİYE info@cosmomotoroil.com / www.cosmomotoroil.com Phone: +90 552 222 6766

1.4. Emergency telephone number

Emergency number

: +90 552 222 6766



| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|---|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service (Cardiff Centre) University Hospital Llandough | Penlan Road CF64 2XX Llandough | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh | Little France Crescent EH16 4SA Edinburgh | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER London | +44 20 7188 7188 | |
| United Kingdom | National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre | 16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|----------|---|
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (Component) | CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27 | 80 – 100 | Not classified |





| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|--------|---|
| Residual oils (petroleum), solvent-dewaxed (Component) | CAS-No.: 64742-62-7 EC-No.: 265-166-0 EC Index-No.: 649-471-00-X REACH-no: 01-2119480472- 38-0018 | 0 – 20 | Not classified |

SECTION 4: First aid measures

| First-aid measures general | IF exposed or concerned: Get medical advice/attention. Do not give anything by mouth to an unconscious person. |
|--|--|
| First-aid measures after inhalation | Remove person to fresh air and keep comfortable for breathing. If casualty is unconscious and: no breathing: Ensure that there is no obstruction to breathing and give artificial respiration by trained personnel. If necessary, give external cardiac massage and obtain medical advice. Breathing Allow the victim to rest. Obtain medical assistance if breathing remains difficult. |
| First-aid measures after skin contact | Remove contaminated clothing, contaminated footwear and dispose of safely. Seek medical attention if skin irritation, swelling or redness develops and persists. Wash affected area with soap and water. When using high-pressure equipment, injection of product can occur. If high-pressure injuries occur, immediately seek professional medical attention. Do not wait for symptoms to develop. For minor thermal burns, cool the burn. Hold the burned area under cold running water for at least five minutes, or until the pain subsides. Body hypothermia must be avoided. Do not put ice on the burn. Remove non-sticking garments carefully. DO NOT attempt to remove portions of clothing glued to burnt skin but cut round them. Seek medical attention in all cases of serious burns. |
| First-aid measures after eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medica advice from a specialist. If hot product is splashed into the eye, it should be cooled down immediately to dissipate heat, under cold running water. Immediately obtain specialist medical assessment and treatment for the casualty. |
| First-aid measures after ingestion | Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Always assume that aspiration has occurred. |
| 4.2. Most important symptoms and effe | cts, both acute and delayed |
| Symptoms/effects after inhalation | : Inhalation of vapours may cause headache, nausea, vomiting and an altered state of consciousness. Possible inflammation of the respiratory tract. |
| Symptoms/effects after skin contact | : Dry skin. Irritation may arise in case of repeated or prolonged exposure. May cause burn in case of contact with product at high temperature. |
| Symptoms/effects after eye contact Symptoms/effects after ingestion | mild eye irritation. May cause burn in case of contact with product at high temperature. Ingestion may cause nausea and vomiting. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

| SECTION 5: Firefighting measures | |
|--------------------------------------|---|
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Foam (trained personnel only). Water fog (trained personnel only). Carbon dioxide. Other inert gases (subject to regulations). Sand or earth. Dry powder. |
| Unsuitable extinguishing media | : Do not use direct water jets on the burning product. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam. |
| 5.2. Special hazards arising from th | e substance or mixture |
| Fire hazard | : Combustible liquid. May build up electrostatic charges: risk of ignition. |



| Hazardous decomposition products in case of fire | : Carbon dioxide. Carbon monoxide. |
|--|---|
| 5.3. Advice for firefighters | |
| Precautionary measures fire | : Keep container closed when not in use. Eliminate all ignition sources if safe to do so. |
| Firefighting instructions | : Evacuate area. Contain the extinguishing fluids by bunding. |
| Protection during firefighting | In case of a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| Other information | Incomplete combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates, gases, including carbon monoxide. High temperature decomposition products are harmful by inhalation. |

SECTION 6: Accidental release measures

| 6.1. Personal precautions, protective equipment and emergency procedures | | |
|--|--|--|
| General measures | : Evacuate area. Stop engines and no smoking. Avoid contact with skin and eyes. | |
| 6.1.1. For non-emergency personnel | | |
| Protective equipment | : gloves made of PVA are not water-resistant, and are not suitable for emergency use. Antistatic non-skid safety shoes or boots. Work gloves providing adequate chemical resistance, specifically to aromatic hydrocarbons. a half or full-face respirator with filter(s) for organic vapours/H2S, or a Self-contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used. | |
| Emergency procedures | : Ventilate spillage area. Stop or contain leak at the source, if safe to do so. Avoid direct contact with released material. Do not breathe vapours. Keep non-involved personnel away from the area of spillage. Alert emergency personnel. If required, notify relevant authorities according to all applicable regulations. Eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares). Large spillages may be cautiously covered with foam, if available, to limit vapour cloud formation. | |
| 6.1.2. For emergency responders | | |

No additional information available

6.2. Environmental precautions

prevent product from entering sewers, rivers or other bodies of water. In case of soil contamination, remove contaminated soil and treat in accordance with local regulations. Collect free product with suitable mechanical means. Transfer collected product and other contaminated materials to suitable containers for recovery or safe disposal. In case of spillage in the water. contain product with floating barriers or other equipment. Collect recovered product and other materials in suitable tanks or containers for recovery or safe disposal.

6.3. Methods and material for containment and cleaning up

For containment

: Stop or contain leak at the source, if safe to do so. Collect spillage. Stop leak without risks if possible. Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Consult an expert on waste disposal or treatment. collect the product by skimming or other suitable mechanical means.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.



SECTION 7: Handling and storage

| 7.1. Precautions for safe handling | |
|---|--|
| Precautions for safe handling Hygiene measures | Ensure that all relevant regulations regarding handling and storage facilities of flammable products are followed. Keep away from heat/sparks/open flames/hot surfaces. Avoid contact with the hot product. Do not eat, drink or smoke when using this product. Prevent the build-up of electrostatic charge. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid splash filling of bulk volumes when handling hot liquid product. Contaminated materials should not be allowed to accumulate in the workplaces and should never be kept inside the pockets. Keep away from food and beverages. Wash the hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Take off immediately all contaminated clothing and wash it before reuse. |
| 7.2. Conditions for safe storage, in | cluding any incompatibilities |
| Technical measures | : Empty containers may contain flammable product residues. Do not weld, solder, drill, cut or incinerate empty containers, unless they have been properly cleaned. |
| Storage conditions | Keep container tightly closed. Keep only in original container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Incompatible products | : Oxidizing agent. |
| 7.3. Specific end use(s) | |

No additional information available

| SECTION 8: Exposure controls/personal protection |
|--|
| |
| 3.1. Control parameters |
| |

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Mineral oil mist

-

: TWA: 5 mg/m3; STEL: 10 mg/m3, for oil mist, vapour excluded (ACGIH). Method of testing, recommended: NIOSH 5026

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. EN 374. In case of splash hazard: safety glasses. EN 166. Protective clothing.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes

8.2.2.2. Skin protection

Skin and body protection:

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather). Wear suitable coveralls to prevent exposure to the skin. Chemical resistant safety shoes

Hand protection:

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. Wear chemically resistant gloves (tested to EN374) in combination with specific activity training.

8.2.2.3. Respiratory protection

Respiratory protection:

to avoid respiratory tract irritation inhalation exposure should be kept to a minimum. If exposure levels cannot be determined or estimated with adequate confidence, or an oxygen deficiency is possible, only SCBA's should be used. If necessary, approved respiratory protection equipment shall be used when handling hot product in confined spaces: enclosed face mask with cartridge/filter type "A" or self-contained breathing apparatus (SCBA). Change filter cartridge on respirator daily

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | | |
|--|--------------------------------------|--|
| Physical state | : Liquid | |
| Colour | : Yellow-brown. light yellow. | |
| Appearance | : Free of sediment. clear. | |
| Odour | : Oil-like odour. characteristic. | |
| Odour threshold | : Not available | |
| Melting point | : Not available | |
| Freezing point | : Not available | |
| Boiling point | : 360 – 630 °C | |
| Flammability | : Not available | |
| Explosive limits | : Not available | |
| Lower explosion limit | : Not available | |
| Upper explosion limit | : Not available | |
| Flash point | : > 240 °C Cleveland | |
| Auto-ignition temperature | : Not available | |
| Decomposition temperature | : Not available | |
| рН | : Not available | |
| Viscosity, kinematic | : 90 – 120 mm²/s 40°C | |
| Solubility | : Not available | |
| Partition coefficient n-octanol/water (Log Kow) | : Not available | |
| Vapour pressure | : Not available | |
| Vapour pressure at 50°C | : Not available | |
| Density | : 0.87 – 0.89 g/cm³ 15 °C, ISO 12185 | |
| Relative density | : Not available | |
| Relative vapour density at 20°C | : Not available | |
| Particle characteristics | : Not applicable | |
| | | |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available



SECTION 10: Stability and reactivity

10.1. Reactivity

This substance is stable under all ordinary circumstances at ambient temperatures, and if released into the environment.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Contact with strong oxidizers (peroxides, chromates, etc.) may cause a fire hazard.

10.4. Conditions to avoid

They may be ignited by heat, sparks, static electricity or flames.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

| 11.1. Information on hazard classes as defined | d in Regulation (EC) No 1272/2008 |
|--|--|
| Acute toxicity (dermal) | Not classified Not classified Not classified |
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) |
| LD50 oral rat | > 5000 mg/kg bodyweight literature data |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight literature data |
| LC50 Inhalation - Rat | > 5.53 mg/l literature data |
| Residual oils (petroleum), solvent-dewaxed (6 | 64742-62-7) |
| LD50 oral rat | > 5000 mg/kg bodyweight literature data |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight literature data |
| LC50 Inhalation - Rat | > 5.53 mg/l literature data |
| Skin corrosion/irritation : | Not classified |
| Serious eye damage/irritation : | Not classified |
| Respiratory or skin sensitisation : | Not classified |
| Germ cell mutagenicity : | Not classified |
| Carcinogenicity : | Not classified |
| Reproductive toxicity : | Not classified |
| STOT-single exposure : | Not classified |
| STOT-repeated exposure : | Not classified |
| Aspiration hazard : | Not classified |
| HD 30 | |
| Viscosity, kinematic | 90 – 120 mm²/s 40°C |

11.2. Information on other hazards

No additional information available



SECTION 12: Ecological information

12.1. Toxicity

| Hazardous to the aquatic environment, short–term : (acute) | The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified |
|---|---|
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) |
| LC50 - Fish [1] | > 100 mg/l literature data |
| EC50 - Other aquatic organisms [1] | > 100 mg/l literature data |
| ErC50 algae | > 100 mg/l literature data |
| NOEC chronic crustacea | > 1 mg/l literature data |
| Residual oils (petroleum), solvent-dewaxed (6 | 64742-62-7) |
| LC50 - Fish [1] | > 100 mg/l literature data |
| EC50 - Other aquatic organisms [1] | > 100 mg/l literature data |
| ErC50 algae | > 100 mg/l literature data |
| NOEC chronic crustacea | > 1 mg/l literature data |

12.2. Persistence and degradability

| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | |
|--|--|
| Biodegradation inherent biodegradable | |
| Residual oils (petroleum), solvent-dewaxed (64742-62-7) | |
| Biodegradation inherent biodegradable | |

12.3. Bioaccumulative potential

| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | | |
|--|--|--|
| Partition coefficient n-octanol/water (Log Kow) > 6 (≥ 2) literature data, potentially bioaccumulative | | |
| Residual oils (petroleum), solvent-dewaxed (64742-62-7) | | |
| Partition coefficient n-octanol/water (Log Kow) > 6 (≥ 2) literature data, potentially bioaccumulative | | |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| HD 30 |
|--|
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| |

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available



SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-----------------------------------|--|
| Regional legislation (waste) | Dispose in accordance with local regulations. DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives. |
| Waste treatment methods | : Contain and dispose of waste according to local regulations. External recovery and recycling of waste should comply with applicable local and/or national regulations. Where possible (e.g. in the absence of relevant contamination), recycling of used substance is feasible and recommended. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. |
| Sewage disposal recommendations | : Do not empty into drains. Dispose of at a licensed waste collection centre. |
| Waste disposal recommendations | Clear up spills immediately and dispose of waste safely. Dispose of waste or used sacks/containers according to local regulations. |
| Additional information | : Handle empty containers with care because residual vapours are flammable. |
| Ecology - waste materials | Hazardous waste. Avoid any discharge of the product into waste water. Recycle by distillation. Recycle/reuse. Disposal in high-temperature incinerator (> 1200 °C). |
| EWC (EURAL) code | : 13 02 08* - other engine, gear and lubricating oils |
| SECTION 14: Transport information | n |

SECTION 14: Transport information In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | RID | ADN | IMDG | IATA |
|--------------------------|---------------|--|--|---------------|
| 14.1. UN number | | | | |
| Not regulated | Not regulated | 9006 | 3082 | Not regulated |
| 14.2. UN proper shipp | | | | |
| Not regulated | Not regulated | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SN 500 (SAE 30/90)) | Not regulated |
| 14.3. Transport hazard | d class(es) | | | |
| Not regulated | Not regulated | 9 | 9 | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Ш | Ш | Not regulated |
| 14.5. Environmental h | azards | | | |
| Not regulated | Not regulated | Dangerous for the environment : No | Dangerous for the environment : No Marine pollutant : Yes | Not regulated |
| 14.6. Special precaution | ons for user | | | |
| | | | | |
| | No s | upplementary information avail | ilable | |
| | | | | |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)



Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)Other information, restriction and prohibition:regulations:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18December 2006. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT

AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

| SECTION 16: Other information | | | |
|-------------------------------|--------------|---------|--------------------------------|
| Indication of changes | | | |
| Section | Changed item | Change | Comments |
| 116. | All Sections | updated | All Sections have been updated |

| Abbreviations and ac | ronyms: |
|----------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| IARC | International Agency for Research on Cancer |
| ΙΑΤΑ | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| РВТ | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |



| Abbreviations and acronyms: | |
|---|------------------------|
| STP | Sewage treatment plant |
| TLM | Median Tolerance Limit |
| vPvB Very Persistent and Very Bioaccumulative | |

be informed.

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. http://echa.europa.eu/. CONCAWE registration dossier. Data arise from reference works and literature. Data relies on practical experience.
 Before handling, storing or using the present substance for the first time, employees must

Training advice

