

PRODUCT DATA SHEET

HD 60

High quality diesel and gasoline engine oil, formulated from high quality base oils and specially selected detergent and dispersant additives. Monograde motor oils recommended for diesel and gasoline engines working under normal service conditions.

Properties

- Sludge formation, rust, corrosion and wear prevention
- Excellent engine protection
- High oxidation resistance
- Reduces maintenance costs and minimizes oil consumption in old type of motors.

Approvals and Specifications

- API CF/SF
- Allison C3
- Caterpillar TO-2

- MIL-L-2104 D/E
- IQS 1197

TEST	METHOD	TYPICAL PROPERTIES
Density, g/cm3, at 15°C	ASTM D 4052	0,905
Kinematic Viscosity, cSt, at 100°C	ASTM D 445	24
Kinematic Viscosity, cSt, at 40°C	ASTM D 445	320
Viscosity Index	ASTM D 2270	101
Flash Point, °C, min	ASTM D 92	247
Sulphated Ash, % mass	ASTM D 0874	0.9
Pour Point, °C, max	ASTM D 97	-13



HD 60 Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 21/12/2023 Revision date: 19/11/2024 Supersedes version of: 06/01/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
I.1 Product identifier Product Form	: Mixture		
Product Name	: HD 60		
Product Code	: 1146		
Product Group	: Blend		
1.2 Product identifier			
1.2.1. Relevant identified uses			
Main use category	: Professional Use		
ndustrial/Professional use spec.	: Non-dispersive use Used in closed systems		
Function or use category	: Brake Fluids		
1.2.2. Uses advised against No additional information available			
I.3 Details of the supplier of the safe	y data sheet		
FACO PETROL KİMYA SANAYİ DIŞ TİCARET LTD. ŞTİ. Center Office: Siteler Mh. 492 Sk. No: 1/A My Vista Smart Aliağa/İZMİR/TÜRKİYE info@cosmomotoroil.com / www.cosmomotoroil.com Phone: +90 552 222 6766 Emergency number : +90 552 222 6766			
SECTION 2: Hazards identification			
2.1 Classification of the substance or mixture			
Classification according to Regulation (EC) No. 1272/2008 [CLP] Show			
Not Classified			
2.2 Label elements			
Labelling according to Regulation (EC) I Signal word (CLP)	lo. 1272/2008 [CLP]		

Signal word (CLP)	•	-
Hazard statements (CLP)	:	H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP)	:	P273 - Avoid release to the environmentP501 - Dispose of contents/container in accordance with local/regional/national/international regulations
Child-resistant fastening	:	No
Tactile warning	:	No

Other hazards 2.3

No additional information available

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not applicable





3.2 Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc dialkyl dithiophosphateXi R41 R51/53	(CAS No) 6849-42-3 EINECS : 272-028-3	1 - 2.5	Eye Dam. 1, H318Skin Irrit.2, H315Aquatic Chronic 2,H411.
Polyolefin polyamine succinimide, polyol R53	Polymer	1 - 2.5	Aquatic Chronic 4, H413

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures		
4.1 Description of first aid measures		
First-aid measures after inhalation	: Not expected to require first aid measures.	
First-aid measures after skin contact	: Wash skin with mild soap and water.	
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.	
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.	
4.2 Most important symptoms and effec	-	
Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal	
	use.	
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.	
Symptoms/injuries after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of	
	normal	
	normal use.	
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal	
	use.	
4.3 Indication of any immediate medical	attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2 Special hazards arising from the substance or mixture		
No additional information available		
5.3 Advice for firefighters		
Precautionary measures fire	: Exercise caution when fighting any chemical fire.	
Firefighting instructions	: Use water spray or fog for cooling exposed containers.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release measure	es a la companya de la	
6.1 Personal precautions, protective equ	uipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear suitable protective clothing and gloves.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable protective clothing and gloves.	
6.2 Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		
6.3 Methods and material for containme		
For containment	: Impound and recover large spill by mixing it with inert granular solids.	
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.	
Other information	: Spill area may be slippery. Use suitable disposal containers.	



6.4 **Reference to other sections**

No additional information available			
SECTION 7: Handling and storage			
7.1 Precautions for safe handling			
Precautions for safe handling	:	Avoid all unnecessary exposure. Both local exhaust & general room ventilation are usually	
	:	required.	
Handling temperature	:	< 40°C	
Hygiene measures	:	Wash hands and other exposed areas with mild soap and water before eat, drink or smoke	
	-	and when leaving work.	
7.2 Conditions for safe storage, includi	ng an	y incompatibilities	
Storage temperature	:	< 40°C	
Storage area	:	Store in dry, cool, well-ventilated area.	
7.3 Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/person	al pr	otection	
8.1 Control parameters			
Additional information	:	5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis	
		according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).	
8.2 Exposure controls			
Personal protective equipment	:	Safety glasses. Gloves.	
Hand protection	:	Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm.	
	-	Nitrile rubber (NBR) /	
Skin and body protection	:	No special clothing/skin protection equipment is recommended under normal conditions of use.	
Respiratory protection		No special respiratory protection equipment is recommended under normal conditions of use	
		adequate ventilation.	
SECTION 9: Physical and chemical pro	operti	es	
9.1 Information on basic physical and c	chemi	cal properties.	
Physical state	:	Liquid.	
Appearance	:	Only Liquid.	
Colour	:	Light Brown	
Odour	:	Characteristic.	
Odour threshold	:	No data available.	
рН	:	No data available.	
Relative evaporation rate (butylacetate=1)	:	No data available.	
Melting point	:	No data available.	
Freezing point	:	No data available.	
Boiling point	:	No data available.	
Flash point	:	> 276 °C @ ASTM D92	
Self ignition temperature	:	No data available.	
Decomposition temperature	:	No data available.	
Flammability (solid, gas)	•	No data available.	
Vapour pressure	:	No data available.	
Relative vapour density at 20 °C	:	No data available.	
Relative density	:	No data available.	
Density Solubility	:	897 kg/m3 @15°C	
Solubility	:	Slightly soluble, the product remains on the water surface.	
Log Pow		No data available.	



Viscosity, kinematic	: 131 mm2/s @ 40°C
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.
9.2 Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1 Reactivity	
None under normal conditions.	
10.2 Chemical stability	
Stable under normal conditions.	
10.3 Possibility of hazardous reactions	
None under normal conditions.	
10.4 Conditions to avoid	
No data available.	
10.5 Incompatible materials	
Strong oxidizers. acids. Bases.	
10.6 Hazardous decomposition products	
None under normal conditions.	
SECTION 11: Toxicological information	
11.1 Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)	
Aspiration hazard	: Not classified
HD 60	
Viscosity, kinematic	131 mm2/s @ 40°C
SECTION 12: Ecological information	
12.1 Toxicity	
No additional information available	
12.2 Persistence and degradability	
No additional information available	
12.3 Bioaccumulative potential	
No additional information available	
12.4 Mobility in soil	
No additional information available	
12.5 Results of PBT and vPvB assessment No additional information available	
12.6 Other adverse effects	
No additional information available	



SECTION	13: Dis	posal con	siderations

13.1 Waste treatment methods

Additional information

: Dispose in a safe manner in accordance with local/national regulations

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1 UN number

Not regulated for transport

14.2 UN proper shipping name	
Proper Shipping Name (ADR):Proper Shipping Name (IMDG):Proper Shipping Name (IATA):Proper Shipping Name (ADN):Proper Shipping Name (RID):14.3 Transport hazard class(es)	 Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
ADR	
Transport hazard class(es) (ADR) : IMDG	Not applicable.
Transport hazard class(es) (IMDG) :	Not applicable.
Transport hazard class(es) (IATA) : ADN	Not applicable.
Transport hazard class(es) (ADN) : RID	Not applicable.
14.4 Packing group	
Not applicable	
14.5 Environmental hazards	
Marine pollutant	No
14.6 Special precautions for user	
 14.6.1 Overland transport No Additional Information Available 14.6.2 Transport by sea No Additional Information Available 14.6.3 Air transport No Additional Information Available 14.6.4 Inland waterway transport No Additional Information Available 14.7 Transport in bulk according to Annex II of the second	of MARPOL 73/78 and the IBC Code
Not applicable.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

No Additional Information Available

15.1.2 National regulations

No Additional Information Available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier



SECTION 16: Other information.

Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of R-, H- and EUH-statements:

H318	Causes serious eye Damage
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life
R41	Risk of serious damage to eyes
R51/53	Toxic to aquatic organisms, may cause long -term adverse effects in the aquaticenvironment.
R53	May cause long-term adverse effects in the aquatic environment.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

