

MOLYBDENUM GREASE

Description:

High quality mineral base oils and additives produced by qualified performance-enhancing, high-fiber, water-resistant and calcium grease is suitable for multi-purpose use.

Performance Features and Benefits:

- Water-resistant and protects the system against to erosion and corrosion.
- Put the water out of sight by sticking on the metal surface very well and protects the material against to rust.
- Allows high stability which is in the medium degree loads.
- Prevents from entering the foreign materials into systems and protects the system.
- In the usages where the temperature is not high, demonstrates excellent performance by providing fast and effective lubrication.
- •

Application:

Used in the surroundings where the temperature is not high (<80°C) and the water is unavoidable. Used in the low-speed straight bearings working under the normal load, medium and high-speed bearings of which working temperature is not high, low-speed straight bearings, and in the lubrications of chassis. It can also be used for conveyors working in the open air and water pumps.

Typical Characteristics:

NLGI No:	1	2	3
Color	Dark Grey	Dark Grey	Dark Grey
Soap Туре	Li	Li	Li
Kinematic viscosity at 100°C (ASTM D445 mm2/s)	8.7	8.7	8.7
Penetration (25°C/60Storke)	310/340	265/295	220/250
Dropping Point, °C, min.	120	120	120
Working Temperature, °C, max.	95	95	95



MOLYBDENUM GREASE SAFETY DATA SHEET

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 19/01/2023 Revision date: 08/07/2024 Supersedes version of: 28/03/2023 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form Mixture : Product name Molybdenum Grease Product code 9132 · CMO Type of product Product group Blend 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Industrial use, Professional use, Consumer use Industrial/Professional use spec ÷ Non-dispersive use Used in closed systems Function or use category : Lubricants and additives 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet FACO PETROL KİMYA SANAYİ DIŞ TİCARET LTD. ŞTİ. Center Office: Siteler Mh. 492 Sk. No: 1/A My Vista Smart Aliağa/İZMİR/TÜRKİYE info@cosmomotoroil.com / www.cosmomotoroil.com Phone: +90 552 222 6766 1.4. Emergency telephone number Emergency number : +90 552 222 6766 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture 2.1. Classification of the substance or mixture Classification (SI 2019 No. 720) **Physical hazards** Not Classified Health hazards Not Classified **Environmental hazards** Not Classified 2.2. Label elements Hazard statements NC Not Classified **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. 2.3. Other hazards Not applicable.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



DISTILLATES, HYDROTREATED HEAVY PARAFFINIC <3% DMSO EXTRACT (IP 346)

30-<60%

CAS number: 64742-54-7

EC number: 265-157-1

UK REACH registration number: UK-01-1759217276-5-0000

Classification

Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.		
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.		
Ingestion	Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with water.		
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.		
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Do not rub eye.		
4.2. Most important symptoms	and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.		
Inhalation	May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.		
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.		
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Allergic rash.		
Eye contact	May cause temporary eye irritation.		
4.3. Indication of any immediate	e medical attention and special treatment needed		
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising from the substance or mixture			
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion hazards noted.		



Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.		
5.3. Advice for firefighters			
Special protective equipment for firefighters	Leave danger zone immediately.		
SECTION 6: Accidental releas	se measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.		
6.2. Environmental precaution	<u>s</u>		
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.		
6.4. Reference to other section	ns		
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.		
SECTION 7: Handling and sto	rage		
7.1. Precautions for safe handling			
Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Avoid contact with skin and eyes. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage precautions	Keep containers upright. Store in tightly-closed, original container.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure control	s/Personal protection		

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

DISTILLATES, HYDROTREATED HEAVY PARAFFINIC <3% DMSO EXTRACT (IP 346) (CAS: 64742-54-7)



DNEL	Workers - Inhalation; Long term systemic effects: 2.73 mg/m ³ Workers - Dermal; Long term systemic effects: 0.97 mg/kg General population - Oral; Long term systemic effects: 0.74 mg/kg Workers - Inhalation; Long term local effects: 5.58 mg/m ³ General population - Inhalation; Long term local effects: 1.19 mg/m ³
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Hygiene measures	Wash contaminated clothing before reuse. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	No specific recommendations.

	9.1. Information	on basic	physical	and chemical	properties
--	------------------	----------	----------	--------------	------------

Appearance	Grease.
Colour	Blue. Black.
Odour	Characteristic.
Melting point	Not determined.
Initial boiling point and range	>250°C @ 1.013 hPa
Flash point	>150°C
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.91 @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.



Decomposition Temperature	Not determined.	
Viscosity	>30,000 cP @ 20°C	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and rea		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
<u>10.2. Chemical stability</u>		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Does not decompose when used and stored as recommended.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	ical effects	
Toxicological effects	No information available.	
<u>Acute toxicity - oral</u> Summary	Based on available data the classification criteria are not met.	
<u>Acute toxicity - dermal</u> Summary	Based on available data the classification criteria are not met.	
<u>Acute toxicity - inhalation</u> Summary	Based on available data the classification criteria are not met.	
<u>Skin corrosion/irritation</u> Summary	Based on available data the classification criteria are not met.	
<u>Serious eye damage/irritation</u> Summary	Based on available data the classification criteria are not met.	
<u>Respiratory sensitisation</u> Summary	Based on available data the classification criteria are not met.	
<u>Skin sensitisation</u> Summary	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		



<u>Carcinogenicity</u>	
Summary	Based on available data the classification criteria are not met.
-	
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
Summary	Based on available data the classification criteria are not met.
Cumulary	
Specific target organ toxicity -	repeated exposure
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
-	
SECTION 12: Ecological inform	nation
Factoriaity	The product components are not closelfied as environmentally bezerdous. However, large or
Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.
	nequent spins may have hazardous enects on the environment.
<u>12.1. Toxicity</u>	
Acute aquatic toxicity	
Acute toxicity - fish	Not available.
Acuto toxicity - aquatic	Not available.
Acute toxicity - aquatic invertebrates	Not available.
Invertebrates	
12.2. Persistence and degrada	bility
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
	-
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not determined.
12.4 Mobility in soil	
<u>12.4. Mobility in soi</u> l	
Adsorption/desorption	Not available.
coefficient	
12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB	This substance is not classified as PBT or vPvB according to current UK criteria.
assessment	
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	
	-
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in
	accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.
SECTION 14: Transport inform	attan



General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.